TOUR GUIDE SYSTEM



The Tourtalk TT 200 is a full-duplex two-way communication system that allows group leaders and group members to fully communicate with each other during a tour. The system allows the tour group to talk to and be heard by each other; making it more convenient for visitor tours with question and answer sessions or interviews, meetings on the shop floor, staff training and many other applications.



The Tourtalk tour guide system reduces frustration and confusion for your guests and stops you straining your voice. No longer do you have to compete with noise or distance to be understood. Ensure you are clearly heard on your next tour and provide a professional experience!



TT 200-T Transmitter



The digital Tourtalk TT 200-T is a transmitter and receiver in a compact, lightweight, simple to use unit enabling both one-way and two-way communication between group leaders and the tour group.

Both the transmitter and receiver are supplied with a belt-clip and lanyard for hands-free use.





The digital Tourtalk TT 200-R receiver has a talk back function to enable the user to speak back to the tour guide and tour group, when permitted.



A range of headsets are available to suit any environment from a quiet museum to a noisy factory.

01 🖫


The TT 200 system has three communication modes-



The group leader (using a TT 200-T) can freely speak to the tour group. Any group member (using a TT 200-R) can talk back only when the group leader permits, enabling them to maintain control of the proceedings.



The group leader (using a TT 200-T) and assistant (also using a TT 200-T) can freely speak to the tour group. Any group member (using a TT 200-R) can talk back only when the assistant releases their talk right. The group leader can always participate.



All presenters (using TT 200-T) can participate in the discussion. All group members (using TT 200-R) can listen only.

01 🖫



Features

One-way and two-way communication 3 Operation modes to suit any tour Digital noise cancelling technology Any transmitter can be set up as a group leader or assistant Wireless channel sync from transmitter to receivers 42 Channels with up to 14 separate groups No limit to the size of each group **Channel lock for reliability** Programmable backlit high contrast OLED display Roll call, gathering and out-of-range alarm with vibration Wide range of chargers and accessories available Stationary transmitter available for fixed applications Integrated microphone and headset socket Illuminated talk button (latching or momentary PTT/PTM) Adjustable microphone sensitivity and RF power Completely wireless so no installation is required Software control (via a charger) Hearing Aid Compatible (HAC) for use with a TT-NL inductive neck loop Aux-in socket with audio priority All day battery life Up to 150m range TOURTALK TOURTALK TALK OF TOUR IT 01 🖑

TOURTÅLK

For more information please contact us-

Tourtalk Systems Unit 27 Mochdre Industrial Estate, Newtown, UK SY16 4LE

Tel +44 (0)1686 628012

